Exhibit B

NCBI | Entrez **Nucleotide**

PubMed   Nucleotide   Protein   Genome   Structure   PopSet   Taxonomy   OMIM   Boo

Search [Nucleotide ▼] for [   ]   Go   Clear

Limits   Preview/Index   History   Clipboard   Details

Display [default ▼] Save Text   Add to Clipboard

☐ **1: NM_00140(0. Homo sapiens endo...**   Related Sequences, OMIM, Protein, PubMed, Taxonomy,
[gi:13027635]   UniSTS, LinkOut

```
LOCUS       NM_001400                2753 bp    mRNA    linear   PRI 16-FEB-2001
DEFINITION  Homo sapiens endothelial differentiation, sphingolipid
            G-protein-coupled receptor, 1 (EDG1), mRNA.
ACCESSION   NM_001400
VERSION     NM_001400.2  GI:13027635
KEYWORDS    .
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 2753)
  AUTHORS   Hla,T. and Maciag,T.
  TITLE     An abundant transcript induced in differentiating human endothelial
            cells encodes a polypeptide with structural similarities to
            G-protein-coupled receptors
  JOURNAL   J Biol. Chem. 265 (16), 9308-9313 (1990)
  MEDLINE   90264425
REFERENCE   2  (bases 1 to 2753)
  AUTHORS   An,S., Bleu,T., Huang,W., Hallmark,O.G., Coughlin,S.R. and
            Goetzl,E.J.
  TITLE     Identification of cDNAs encoding two G protein-coupled receptors
            for lysosphingolipids
  JOURNAL   FEBS Lett. 417 (3), 279-282 (1997)
  MEDLINE   98072391
REFERENCE   3  (bases 1 to 2753)
  AUTHORS   Lee,M.J., Van Brocklyn,J.R., Thangada,S., Liu,C.H., Hand,A.R.,
            Menzeleev,R., Spiegel,S. and Hla,T.
  TITLE     Sphingosine-1-phosphate as a ligand for the G protein-coupled
            receptor EDG-1
  JOURNAL   Science 279 (5356), 1552-1555 (1998)
  MEDLINE   98155258
  COMMENT   REVIEWED REFSEQ: This record has been curated by NCBI staff. The
            reference sequence was derived from AF233365.1, M31210.1.
            On Feb 21, 2001 this sequence version replaced gi:4503454.
            Summary: The protein encoded by this gene is structurally similar
            to G protein-coupled receptors and is highly expressed in
            endothelial cells.  It binds the ligand sphingosine-1-phosphate
            with high affinity and high specificity, and suggested to be
            involved in the processes that regulate the differentiation of
            endothelial cells.  Activation of this receptor induces cell-cell
            adhesion.
            COMPLETENESS: complete on the 3' end.
FEATURES             Location/Qualifiers
     source          1..2753
                     /organism="Homo sapiens"
```

```
                    /db_xref="taxon:9606"
                    /chromosome="1"
                    /map="1p21"
     gene           1..2753
                    /gene="EDG1"
                    /note="ECGF1; CHEDG1"
                    /db_xref="LocusID:1901"
                    /db_xref="MIM:601974"
     CDS            244..1392
                    /gene="EDG1"
                    /note="edg-1; sphingosine 1-phosphate receptor EDG1"
                    /codon_start=1
                    /db_xref="LocusID:1901"
                    /db_xref="MIM:601974"
                    /product="endothelial differentiation, sphingolipid
                    G-protein-coupled receptor, 1"
                    /protein_id="NP_001391.2"
                    /db_xref="GI:13027636"
                    /translation="MGPTSVPLVKAHRSSVSDYVNYDIIVRHYNYTGKLNISADKENS
                    IKLTSVVFILICCFIILENIFVLLTIWKTKKFHRPMYYFIGNLALSDLLAGVAYTANL
                    LLSGATTYKLTPAQWFLREGSMFVALSASVFSLLAIAIERYITMLKMKLHNGSNNFRL
                    FLLISACWVISLILGGLPIMGWNCISALSSCSTVLPLYHKHYILFCTTVFTLLLLSIV
                    ILYCRIYSLVRTRSRRLTFRKNISKASRSSEKSLALLKTVIIVLSVFIACWAPLFILL
                    LLDVGCKVKTCDILFRAEYFLVLAVLNSGTNPIIYTLTNKEMRRAFIRIMSCCKCPSG
                    DSAGKFKRPIIAGMEFSRSKSDNSSHPQKDEGDNPETIMSSGNVNSSS"
     misc_feature   427..999
                    /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
                    family)"
     misc_feature   937..1176
                    /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
                    family)"
     variation      2313
                    /allele="C"
                    /allele="G"
                    /db_xref="dbSNP:1056840"
     polyA_signal   2587..2592
     polyA_signal   2733..2738
BASE COUNT       668 a      707 c      619 g      759 t
ORIGIN
        1 gtcgggggca gcagcaagat gcgaagcgag ccgtacagat cccgggctct ccgaacgcaa
       61 cttggccctg cttgagcgag gctgcggttt ccgaggccct ctccagccaa ggaaaagcta
      121 cacaaaaagc ctggatcact catcgaacca cccctgaagc cagtgaaggc tctctcgcct
      181 cgccctctag cgttcgtctg gagtagcgcc accccggctt cctggggaca cagggttggc
      241 accatggggc ccaccagcgt cccgctggtc aaggcccacc gcagctcggt ctctgactac
      301 gtcaactatg atatcatcgt ccggcattac aactacacgg gaaagctgaa tatcagcgcg
      361 gacaaggaga acagcattaa actgacctcg gtggtgttca ttctcatctg ctgctttatc
      421 atctggagaa acatctttgt cttgctgacc atttggaaaa ccaagaaatt ccaccgaccc
      481 atgtactatt ttattggcaa tctggccctc tcagacctgt tggcaggagt agcctacaca
      541 gctaacctgc tcttgtctgg ggccaccacc tacaagctca ctcccgccca gtggtttctg
      601 cgggaaggga gtatgtttgt ggccctgtca gcctccgtgt tcagtctcct cgccatcgcc
      661 attgagcgct atatcacaat gctgaaaatg aaactccaca cgggagcaa taacttccgc
      721 ctcatcctgc taatcagcgc ctgctgggtc atctccctca tcctgggtgg cctgcctatc
      781 atgggctgga actgcatcag tgcgctgtcc agctgctcca ccgtgctgcc gctctaccac
      841 aagcactata tcctcttctg caccacggtc ttcactctgc ttctgctctc catcgtcatt
      901 ctgtactgca gaatctactc cttggtcagg actcggagcc gccgcctgac gttccgcaag
      961 aacatttcca aggccagccg cagctctgag aagtcgctgg cgctgctcaa gaccgtaatt
     1021 atcgtcctga gcgtcttcat cgcctgctgg gcaccgctct catcctgct cctgctggat
     1081 gtgggctgca aggtgaagac ctgtgacatc ctcttcagag cggagtactt cctggtgtta
     1141 gctgtgctca actccggcac caaccccatc atttacactc tgaccaacaa ggagatgcgt
     1201 cggggccttca tccggatcat gtcctgctgc aagtgcccga gcggagactc tgctggcaaa
```

Handwritten annotation (left margin, near line 241): EDG-1: FP sense

EDG-1
RP
antisense

```
1261 ttcaagcgac ccatcatcgc cggcatggaa ttcagccgca gcaaatcgga caattcctcc
1321 cacccccaga aagacgaagg ggacaaccca gagaccatta tgtcttctgg aaacgtcaac
1381 tcttcttcct agaactggaa gctgtccacc caccggaagc gctctttact tggtcgctgg
1441 ccaccccagt gtttggaaaa aaatctctgg gcttcgactg ctgccaggga ggagctgctg
1501 caacccagag ggaggaaggg ggagaatacg aacagcctgg tggtgtcggg tgttggtggg
1561 tagagttagt tcctgtgaac aatgcactgg gaagggtgga gatcaggtcc cggcctggaa
1621 tatatattct accccctgg agctttgatt ttgcactgag ccaaaggtct agcattgtca
1681 agctcctaaa gggttcattt ggcccctcct caaagactaa tgtccccatg tgaaagcgtc
1741 tctttgtctg gagctttgag gagatgtttt ccttcacttt agtttcaaac ccaagtgagt
1801 gtgtgcactt ctgcttcttt agggatgccc tgtacatccc acaccccacc ctcccttccc
1861 ttcataccc tcctcaacgt tcttttactt tatactttaa ctacctgaga gttatcagag
1921 ctgcggttgt ggaatgatcg atcatctata gcaaataggc tatgttgagt acgtaggctg
1981 tggcaagatg aagatggttt ggaggtgtaa aacaatgtcc ttcgctgagg ccaaagtttc
2041 catctaagcg ggatccgttt tttggaattt ggttgaagtc actttgattt cttaaaaaaa
2101 catcttttca atgaaatgtg ttaccatttc atatccattg aagccgaaat ctgcataagg
2161 aagcccactt tatctaaatg atattagcca ggatccttgg tgtcctagga gaaacagaca
2221 agcaaaacaa agtgaaaacc gaatggatta acttttgcaa accaagggag atttcttagc
2281 aaatgagtct aacaaatatg acatccgtct ttcccacttt tgttgatgtt tatttcagaa
2341 tcttgtgtga ttcatttcaa gcaacaacat gttgtatttt gttgtgttaa aagtactttt
2401 cttcattttt gaatgtattt gtttcaggaa gaagtcattt tatggatttt tctaacccgt
2461 gttcacttt ctagaatcca ccctcttgtg cccttaagca ttactttaac tggtagggaa
2521 cgccagaact tttaagtcca gctattcatt agatagtaat tgaagatatg tataaatatt
2581 acaagaata aaaatatatt actgtctctt tagtatggtt ttcagtgcaa ttaaaccgag
2641 agatgtcttg ttttttttaaa aagaatagta tttaataggt ttctgacttt tgtggatcat
2701 tttccacata gctttatcaa cttttaaaca ttaataaact gatttttta aag
```

//

Revised: October 24, 2001.